


INEX > WEATHERBOARD™

TIMBER OR STEEL FRAME : FRL 60/60/60 & BAL-FZ




Achieves FRL 60/60/60 from outside only when tested to AS 1530.4-2005
Meets AS 3959-2009 Section 9 (BAL-FZ) via testing to AS 1530.4-2005



INEX > BOARDS™

INEX > WEATHERBOARD™

TIMBER OR STEEL FRAME : FRL 60/60/60 & BAL-FZ



- | | | | |
|---|--|---|---|
| ① | INEX > WEATHERBOARD | ⑤ | Steel studs at Max. 600mm centres to AS/NZS 4600 or Timber studs at Max. 600mm centres to AS 1684 (Both drawn) |
| ② | 30mm x 16mm INEX > STARTERTRIM (Cut from INEX > BOARDS) | ⑥ | Min. R2.5 glasswool insulation |
| ③ | Mitred or butt joined cut from INEX > BOARDS | ⑦ | 10mm thick standard grade plasterboard or equivalent |
| ④ | Any breathable sarking | ⑧ | Proprietary corner flashings |

NOTES

This external wall system supported by Exova Warringtonfire EWFA 19502800.6c and 27255600/RPT01-6c
Refer also to **INEX > WEATHERBOARD** Technical Sheet for fixing details