

## MATERIAL SAFETY DATA SHEET

MAY 2018

### NON-Hazardous Substance, NON-Dangerous Goods

#### 1. Material and Supply Company Identification

- **Product name:** INEX>Bond

- **Synonym:** INEX>Bond – 290ml cartridge or 600ml sausage

Recommended use: As an elastic sealant for sealing INEX Floor joints in wet areas In light foot traffic areas to bond INEX Floor boards to timber or metal joists

- **Details of the supplier of the safety data sheet**

- **Manufacturer/Supplier:**

Supplier: The UBIQ Company  
ABN: 14 146 086 142  
Address: 57 St. Hilliers Road, Auburn NSW 2144 Australia  
Telephone: +612 9519 4460

- **Further information obtainable from:** The UBIQ Company

- **Emergency telephone numbers:**

Australia **(02) 9519 4460** or  
New Zealand **61-2 9519 4460**

#### 2. Hazards identification

Based on available information, this material is not classified as hazardous according to health criteria of NOHSC Australia.

Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail.

**Poisons Schedule (Aust):** Not applicable

#### 3. Composites information

CHEMICAL ENTITY	CAS No.	Proportion
Ingredients determined to be non-hazardous	–	100%

#### 4. First aid measures

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia 131 126, New Zealand 0800 764 766).

**Inhalation:** Non-volatile, inhalation not feasible.

**Skin contact:** If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. If swelling, redness, blistering or irritation occurs seek medical assistance.

**Eye contact:** If in eyes wash out immediately with water. In all cases of eye contamination it is a sensible precaution to seek medical advice.

**Ingestion:** Rinse mouth with water. If swallowed, do NOT induce vomiting. Give a glass of water to drink. Never give anything by the mouth to an unconscious patient. If vomiting occurs give further water. Seek medical advice.

**Notes to physician:** Treat symptomatically.

# MATERIAL SAFETY DATA SHEET

Trade name: INEX>Bond

MAY 2018

## 5. Firefighting measures

**Specific hazards:** Combustible material.

**Fire fighting further advice:** On burning may emit toxic fumes. Fire fighters to wear self-contained breathing apparatus and suitable protective clothing if risk of exposure to vapour or products of combustion.

**Hazchem Code:** Not applicable.

**Suitable extinguishing media:** If material is involved in a fire use water fog (or if unavailable fine water spray), foam, dry agent (carbon dioxide, dry chemical powder).

## 6. Accidental release measures

### Small Spills

Wear protective equipment to prevent skin and eye contamination. Avoid inhalation of vapours. Wipe up with absorbent (clean rag or paper towels). Collect and seal in properly labelled containers or drums for disposal.

### Large Spills

Slippery when spilt. Avoid accidents, clean up immediately. Wear protective equipment to prevent skin and eye contamination and the inhalation of vapours. Work up wind or increase ventilation. Contain - prevent run off into drains and waterways. Use absorbent (soil, sand or other inert material). Collect and seal in properly labelled containers or drums for disposal. If contamination of sewers or waterways has occurred advise local emergency services.

**Dangerous Goods – Initial Emergency Response Guide No:** Not applicable.

## 7. Handling and storage

### Handling:

Avoid eye contact and repeated or prolonged skin contact.

### Storage:

Store in a cool, dry, well ventilated place and out of direct sunlight. Store away from incompatible materials described in Section 10. Store away from sources of heat or ignition. Keep containers closed when not in use - check regularly for leaks.

## 8. Exposure controls/personal protection

**National occupational exposure limits:** No value assigned for this specific material by Safe Work Australia or Department of Labour New Zealand.

**Biological Limit Values:** As per the "National Model Regulations for the Control of Workplace Hazardous Substances (Safe Work Australia)" the ingredients in this material do not have a Biological Limit Allocated.

**Engineering measures:** Natural ventilation should be adequate under normal use conditions.

**Personal protection equipment:** OVERALLS, SAFETY SHOES, SAFETY GLASSES, GLOVES.

Wear overalls, safety glasses and impervious gloves. Available information suggests that gloves made from nitrile rubber should be suitable for intermittent contact. However, due to variations in glove construction and local conditions, the user should make a final assessment. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storing or reusing.

## 9. Physical and chemical properties

<b>Form / Colour / Odour:</b>	Thixotropic paste of various colours with almost no odour.
<b>Solubility in Water</b>	Nil
<b>Specific Gravity</b>	1.5 approximately
<b>Relative Vapour Density (air=1):</b>	Not Available
<b>Vapour Pressure at 20°C:</b>	Not Available
<b>Flash Point</b>	Not Available
<b>Flammability Limits</b>	Not Available
<b>Autoignition Temperature (°C):</b>	Product is not self igniting
<b>Melting Point/Range (°C):</b>	Not Available
<b>Boiling Point/Range (°C):</b>	Not Available
<b>pH:</b>	Not Available
<b>Viscosity:</b>	Thixotropic paste

*(Typical values only - consult specification sheet)*

# MATERIAL SAFETY DATA SHEET

Trade name: INEX>Bond

MAY 2018

## 10. Stability and reactivity

**Chemical stability:** This material is thermally stable when stored and used as directed.

**Conditions to avoid:** Elevated temperatures and sources of ignition.

**Incompatible Materials:** Oxidising agents.

**Hazardous decomposition products:** Oxides of carbon and nitrogen, smoke and other toxic fumes.

**Hazardous reactions:** No known hazardous reactions.

## 11. Toxicological information

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

### ACUTE EFFECTS:

**Inhalation:** Material may be irritant to mucous membranes and respiratory tract.

**Skin contact:** Contact with skin may result in irritation.

**Eye contact:** May be an eye irritant.

**Ingestion:** Swallowing can result in nausea, vomiting and irritation of the gastrointestinal tract.

**Long Term Effects:** No information available for product.

**Acute toxicity / Chronic toxicity:** No LD50 data available for the product.

## 12. Ecological information

Avoid contaminating waterways.

**Ecotoxicity:** No information available.

**Persistence and degradability:** No information available.

**Mobility:** No information available.

## 13. Disposal Considerations

Refer to State/Territory Land Waste Management Authority.

## 14. Transport Information

### Road and Rail Transport

Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail.

### Marine Transport

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

### Air Transport

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

## 15. Regulatory Information

**Poisons Schedule (Aust):** Not applicable

All the constituents of this material are listed on the Australian Inventory of Chemical Substances (AICS).

# MATERIAL SAFETY DATA SHEET

Trade name: INEX>Bond

MAY 2018

## 16. Other Information

### Literary reference

This Material Safety Data Sheet has been prepared by Transbond Pty Ltd on behalf of the UBIQ Company.

Reason(s) For Issue: New product introduction to Australian market.

Material Safety Data Sheets are updated frequently. Please ensure that you have a current copy.

### Advice Note

This MSDS summarises at the date of issue our best knowledge of the health and safety hazard information of the product, and in particular how to safely handle and use the product in the workplace. Since Transbond Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, review this MSDS in the context of how the user intends to handle and use the product in the workplace.

If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact this company.

Our responsibility for product as sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available upon request.